



# Duplex Multi Bag Housings

**DBH1 -  
DBH10**

792-3962  
gpm  
**3000-15,000**  
**L/min**

**150 psi**  
**10 bar**



A Inches (mm)	B Inches (mm)	C Inches (mm)	D Inches (mm)	E Inches (mm)	F Inches (mm)	G Inches (mm)	N1	N2	N3
16 (406)	6 (148)	52 (1310)	60 (1520)	75 (1893)	49 (1250)	20 (516)	Inlet 3 / 150P SORF	Outlet 3 / 150P SORF	Vent .5 / PT F

Max. Working Pressure: 150 psi (10 bar)

Max. Working Temperature: 167°F (75°C)

Support Legs: Adjustable

Lid Closure: Swing Bolts

## Specifications

Filter and Media are sold separately.

Additional sizes available - call factory for details.

## Duplex Multi Bag Housings

How to Build a Valid Model Number for a Duplex Bag Housing, 150 psi:

BOX 1	BOX 2	BOX 3	BOX 4	BOX 5	BOX 6	BOX 7
DBH						

Example: NOTE: One option per box

BOX 1	BOX 2	BOX 3	BOX 4	BOX 5	BOX 6	BOX 7
DBH	4	2	304S	4F	E	1

= DBH42304S3FE1

BOX 1	BOX 2	BOX 3	BOX 4	BOX 5
Filter Series	# of Bags	Bag Size	Material	Connection
DBH	1 2 3 4 5 6 7 8 9 10	2 = Size 2	304S = 304 Stainless Steel 316S = 316 Stainless Steel 316L = 316L Stainless Steel	3F = 3" Flange (2, 3, 4 and 6 bags) 4F = 4" Flange (2, 3, 4, 6 and 8 bags) 6F = 6" Flange (4, 6, 8, and 10 bags) 8F = 8" Flange (8 & 10 bags) 10F = 10" Flange (10 bags)

BOX 6	BOX
Seal Material	Pressure Rating
E = EPDM S = Silicone V = Viton W = Teflon Encapsulated Viton	0 = 100 psi 1 = 150 psi

Filter and Media are sold separately.