

HFS-15 Filtration System

*Compact & Light Weight - Ideal for
Maintenance and Service*



FAST Fifteen

Give us 15 - we will give you targeted fluid cleanliness concepts **for your machine.**

Schroeder
INDUSTRIES

Kris Mikulan – Group Product Manager, Filter Systems

HFS-15 Hand Held Filtration System

Applications

- Filtered filling of hydraulic systems
- Temporary offline filtration of hydraulic systems
- Transfer of filtered hydraulic oils
- Flushing small hydraulic systems

Schroeder
INDUSTRIES



HFS-15 Hand Held Filtration System

Features/Benefits

- Compact, light weight filtration system ideal for service calls
- Solid particle contamination as well as free water can be removed by the filter elements
- Improvement in service life for both components and system filters
- Increased service intervals and machine up-time



Schroeder
INDUSTRIES



HFS-15 Hand Held Filtration System

Operating Specifications

- **Flow Rate:** 4gpm (for tank volumes of 40-240 gallons)
- **Viscosity:** up to 1,600SUS / 350cSt
- **Power:** 120V AC / 60Hz / 1 Ph. (corded with 3-prong plug)
- **Seals:** Viton® (FPM)
- **Fluid Compatibility:** mineral-based hydraulic fluid and lubricants



Value

Customer can realize:

- Improvement in service life for both components and system filters
- Increased oil service life
- Higher machine availability
- Reduction in replacement components and maintenance costs with better fluid condition



Interested to learn more?

- Select 1-5 items pertaining to the topic you are interested
- Click the “Request Information” button located directly under the product photo
- Mention “Fast Fifteen” in the comments section and a representative will be in touch

